OWNER'S MANUAL

PYLE® View



PLD3MU

3" TFT Touch Screen DVD/ VCD/ CD/ MP3/ CD-R/ USB/ AM/ FM



www.pyleaudio.com

Contents

Safety Precautions2	Radio Operation10
Electric Connection	Band tuner APS/ST/RDS
Installation4 Install the unit Remove the unit	Remote Control
General Features5	Accessories14
PLAY/PAUSE Eject	Specifications15
Source/Power Mute Volume	Trouble Shooting16
Select charter/Foward /Backward Repeat	
Release Display position adjustment	
USB/SD operation8 USB/SD PLAYER	
System setting9	
Audio System	

Safety precautions

A CAUTION

To prevent injury or fire, please take the following precautions:

- Do not watch videos when driving.
- To prevent electric shock, etc. please do not let the metal goods(silver,coin,tools..) fall into the installation.
- If you smell or see smoke, turn off the power immediately and consult the place of purchase.
- Be careful not to drop or shock the unit strongly.
- Do not touch the liquid crystal to avoid hurting yourself. If your clothes are stained by it, please clean them with soap immediately.
- For your driving safety, please link your brake detecting wire with low power level, and keep it controlled by manual brake switch. wire should be high power level and the unit can not play DVD or VCD disc.

AWARNING

To prevent damage to the machine, take the following precautions:

- FM Be sure the unit is connected to a 12V DC power with a Negative Grou
 - Do not install the unit in places where it is exposed to direct sunlight, high heat or humidity, water splash or dust.
 - To change fuse, please use the same one in specification and capacity.
 - When changing fuse, please do it after pulling down power wires to avoid short circuit.
 - If the unit does not seem to be working properly, please press the reset button to resume the function.




APRECAUTIONS

Please Note:

- When driving a car, reduce the volume to be more aware of the road traffic.
- Avoid getting the speakers and disc wet from water or dampness while cleaning the car.
- Do not park your car in the direct sunlight and turn on the unit after it is cooling down in the car.
- Protect your mechanism, and do not put it close to magnet, screwdriver or other cohere stuff.

If you do not comply with the above items, it may cause abnormal running and system trouble.

Electric Connection



Installation


Before installing the receiver, fit it in the suitable place of your car.
 Then connect the corresponding speakers and electrical connections.
 When your system is operated properly, follow the instructions installation

INSTALL THE UNIT


1)Install the bracket
2)Bend over some slices to secure the installation of bracket inside of dash.
3)To avoid shake of the receiver, make sure to install the fixation strap behind the receiver.

REMOVE THE UNIT


 Insert the keys into the small gaps in the right and left sides of the unit at the same time. Link the keys to the slices and then pull out the unit lightly to remove it from your car, and then pull out the connection plugs.



General Features



General Features



Play/pause

Play/pause: Press [APS/ ▶II] button to play or pause.

NOTE: Press [VOLUME] button can play too.

CLK/

■:In the play mode,press[■] button once to pause,press it agaiin to stop

Eject

EJECT: Press[▲] to eject the disc.

NOTE: About 10 seconds after the disc ejected ,if not taken out, the disc will be absorbed in again.

SRC/PWR

•Press [SRC] button shortly will turn the unit on. Hold [SRC] button down will turn the unit off.

NOTE: When the power is on, press [SRC] button will show the follow picture, touch the certain icon to select the exact function needed.



NOTE: Gray icon can not use.

Volume

Increasing Volume:

• Rotate the VOL button in counterclockwise direction.

Decreasing Volume:

• Rotate the VOL button in anticlockwise direction.

 $\dot{-}$ 6 -

Play operation

Insert DVD/VCD/CD disc, touch screen will show menu as follows:



|◀**|** ▶▶|


- Select chapter or section: In the DVD mode, press [I◄] to Choose last chapter; press [▶I] to choose next chapter.
- Forward: Hold [►►I] button down;
- Rewind: Hold [I--] button down.

Repeat

Repeat: In the play mode, press[RPT]button to transit among the following status.



Insert MP3 disc, and TFT will show menu as follows:



In this menu, the menu on the right side is the sub-menu.
 You can press [▲] [▼] tu button to select the file and items you like.

R/L

R/L: In play mode, press this icon to return and switch among mono L, mono R or stereo.


Ш

Title: In play mode, press this icon to return to the title menu, and re-select the items.

ESC

Esc: In play mode, press this button to exit the playing.

SD/USB operation



USB/SD mode

USB mode

• Insert USB, the unit will switch to USB playing mode automatically

SD mode

• Insert SD card, the unit will switch to SD playing mode automatically

Play operation

PLAY/PAUSE:

Press [►II] button to play or pause.



► / ■ Select:

Under USB or SD play mode, press[◀
 ▶] button to select

REPEAT:

• Touch [TFT] or press [ST/RPT] button to repeat the playing.



BAND:

• Press [BAND] button can play the disc randomly.



System setting

MENU

ENTER MENU: Press[MENU] button:

Video mode:



Menu operation

Clicks on the menu option

Press[+ -] to adjust.

Press [ssc] to confirm and exit.

Audio mode:



Menu operation

Clicks on the menu option

Press[+ -] to adjust.

Press [--] to confirm and exit.

System mode:



Menu operation

Clicks on the menu option

Press[•• ••] to adjust.

Press [•• ••] to confirm and exit.

Video setup

- Bright, Color, Contrast, Tint
- Vmode


Audio setup

- Audio setup: Bass, Treble, Balance, Fader setup between 0~14.
- EQ setting:

System setup

- Loud: ON and OFF
- Beep: ON and OFF
- TOPIC: can set the receive toping as RED /YELLOW BLUE /GREEN.
- Time Display: ON and OFF
- Time Adjust: press [+] or [] button to select hour/minute then press [+] or [] button to setup.

Radio Operation



BAND

 Press BAND button to select among three FM or two AM bands. (FM1-FM2-FM3-AM1-AM2)



ST

Stereo

 Press [ST] button, switch between [MO] and [ST].while receiving the signal, [ST] back light turns blue.

Loc/DX

Long press [ST], switch between LOC and DX.

Band tuner

manual tune:

Long press[▶] button can adust to higher frequency.
 Long press[◄] button can adjust to lower frequency.

Automatically tune:

- Short press [→]/[→] button can search higher frequency and stop when get one ,long Press[▼]/[▲] button can store the station.
- Short press[◄◄][◄] button can search lower frequency stop when get one, long press[▼]/[▲]button can store the station.

AS/PS

Search Stations

 Long press [►II/APS] button for more than 3 seconds can search stations and store them in 1-6,FM1,FM2,FM3 and Am1 ,Am2 automatically.


Scan Stations

- Press [►II/APS] button can scan and play every stored station for about three seconds, if you want to listen to the recent ly station, please press the button to stop scanning.
- Maximum 6 stations can be stored in each FM1,FM2,FM3 and AM1,AM2.

Select Stations


Press[▲]or[▼] button can select 1-6 stations.

Remote Control



Loading and replacing the battery

Use one lithium battery(CR2025)
Insert the batteries with the +and - poles aligned properly.
Following the illustration inside the case.



▲ WARNING

• Store unused batteries out of the reach of children.contact a doctor immediately if the battery is accidentally swallowed.



Do not set the remote on hot places such as the above dashboard.

ACAUTION

This unit doesn't have RDS function, AF/TA/PTY neither.
 This unit doesn't have CDC function, DI-/DI+ neither.

Basic Operation

PWR(POWER)

Press this button to turn on/off the unit.

SOURCE

Press this button can select sound mode.

Press these buttons can search tune, play forward and backward manually.

SEL

Press this button repeatedly to select needed mode.

BAND (RDM)

Under receiving mode, press this button can select band; under VCD, CD and Mp3 mode, press this button can play randomly.

APS/PRG

Under receiving mode, the unit can scan and store channel automatically.

Under CD/VCD/MP3 playing mode, press [PRG] button on Remote Control, then the screen will show PO, input the song number you like, such as input 1,2,3... then press the play button to choose the song you have set.

+/-(VOL)

Press this button to increase or decrease volume.

► (Play/pause)

Press this button can switch between play and pause.

ST/RPT

Under receiving state, press this button to select stereo or single track; under playing state, it can play repeat.

GOTO

When playing DVD, press this button to set chapter/ song/time,and confirm it by pressing ENTER button. When playing VCD/CD, it to directly enter after setting time ready.

OSD

Press this button can show play time, surplus time.

Basic Operation

N/P(Angle)

N/P

Under the playing, press [N/P] and can transit among PAL/AUTO/NTSC mode.

Angle

In DVD mode, Long press can adjust the angle of the video. (The DVD disc record the angle with this function.)

[**4**] [**▶**] [**A**] [**▼**] [ENTER]

Under DVD mode, press this button to move the cursor in up,down,left and right directions after entering SETUP Menu.Press "ETR" button can confirm selected item.



Press this button once to stop playing music.

TITLE

Under VCD mode, press this button to enter Menu selection same as PBC.

Under DVD mode, press this button to return to the top of Menu.

MUTE

Press this button to turn off volume out ,and again to resume.

Sub-T[SUBTITLE(0-10+)]

Under DVD mode, press this button to switch dialogue language.

Press this button to directly select track and chapter, and 1-6 buttons can select exist stations.

R/L(LANGUAGE)

Under VCD mode, press this button to switch track.
Under DVD mode, press this button to switch dialogue language.

EQ

Press EQ button, screen will show relevant character as follows:

SETUP

Under playing mode, press this button can enter the menu for setting.

• Clicks on the menu option

Press[+ -] to adjust.

Press [ESC] to confirm and exit.

Accessories



External view Number of items

External view Number of items

.....1

3 [

.....

2

The use of any accessories except of those provided might result in damage to the unit . Make sure only to use the accessories shipped with the unit , as shown above.

Specifications

Specifications subject to change without notice.

DISPLAY UNIT

Liquid crystal panel	3.0 inches
panel weight	157g
Number of pixels	22,4640 pixels
Display method	Transparent color filter format
Drive method	LTPSTFT
Light source	internal light
(built-in small fluorescent lamp)

GENERAL

Operating power	12 Volts DC,negative
	ground
%10THD output wiring	Designed for using four
	speakers only front and rear
	channels cannot be combined
	in use with 2speakers.
Load impedance	compatible 4 to 8 ohm
	speakers
Fuses	10 amp
Dimensions	. 187mm(L)x170mm(W)x50mm(H)
Weight	1.92Kgs
RECEVING FREQUENCY FI	GURE

AREA	BAND	FREQUENCY RANGE (HZ)	AUTOMATICALLY STEP (KHZ)	INCHING STEP (KHZ)
EUROP	FM	87.5-108.0M	100	50
	AM	522-1620K	9	9
AMERICA F	FM	87.5-107.9M	200	200
	AM	530-1710K	10	10
SOUTHA MERICA	FM	87.5-108.0M	100	100
	AM	520-1620K	10	10
RUSSIA F	FM1, 2	87.5-108.0M	100	50
	FM3	65.0-74.0M	10	10
	AM	522-1620K	9	9

Trouble shooting guide

What might seem to be a malfunction in your unit may just be the result of slight misoperation or miswiring. Before calling for after service, please check the following tables for possible problems first.

?The power does not turn ON.

✓ The fuse has been burned out.



Confirm whether the fuse is short circuit, then replace the fuse with the same

?NO Sound.

- ✓ The cable connect incorrectness.
- ✓ The Mute is turned on.



Connect the cable exactly; Turn the Mute off.

?Noise on Radio or poor reception.

✓ Antenna and Antenna Cable.



Adjust the fix position or reconnect the antenna cable.

?Noise on both Radio and CD.

✓ Black wire.



Clean the black wire and connect it to ground.

?No/Poor sound on one or more speakers.

✓ Bad connection of speaker wire, incorrect setting of Volume, Balance and Fader.



Check the speaker wire, change the loudhailer, check the setting of Volume, Balance and Fader.

?CD sound skips.

, The angle of installation is greater than 45 degree , the unit is not good fixed, or the bad quality of CD disc.



Adjust the angle of the unit to less than 45 degree and make sure the unit is good fixed; Use good quality CD disc.

?Unit completely in-cooperative, no Light or Sound.

✓ Incorrect wire connection of Power RED/YELLOW or Ground wire or burn out of fuse



Check the Red wire to +12 Volts with key ignition switch, yellow wire to +12 Volts battery and black wire to ground. Check fuse with red/yellow wire, or check the fuse block on your car.

OWNER'S MANUAL

Before installation and operating the unit please read this manual thoroughly and retain it for future reference